ELSEVIER

International Journal of Mass Spectrometry 237 (2004) 275–277

International Journal of Mass Spectrometry

www.elsevier.com/locate/ijms

Subject index Volume 237

Ab initio calculations
Helium chemistry: a survey of the role of the ionic species, 243
Ar^+
Mass spectrometric studies of azides: reactions of Ar^+ with 3-azidopropionitrile, 2-azidopropionitrile, and azidoacetonitrile in a Fourier transform ion cyclotron resonance mass spectrometer, 65
Atomic and polyatomic ion bombardment
Temperature dependence of secondary ion emission from tantalum produced by atomic and polyatomic gold projectiles, 55
Azidonitriles
Mass spectrometric studies of azides: reactions of Ar^+ with 3-azidopropionitrile, 2-azidopropionitrile, and azidoacetonitrile in a Fourier transform ion cyclotron resonance mass spectrometer, 65

Barrier heights
Formation and unimolecular dissociation of $Al^{3+}(DMSO)_n$ complexes, 47
Bond activation
C–H- and N–H-activation by gaseous Rh_2^+ and $PtRh^+$ cluster ions, 19
On the spin-forbiddeness of gas-phase ion–molecule reactions: a fruitful intersection of experimental and computational studies, 75

Carbon
Errors in the solutions of a set of equations representing an experimental system: a case study for the simultaneous determination of $^{13}C/^{12}C$, $^{17}O/^{16}O$ and $^{18}O/^{16}O$ abundance ratios as CO_2^+, 135
Charge transfer
Computational investigation of $CH_{3-n}X_n^+-NH_3$ ($n = 0-3$; X = F, Cl, and Br) interactions, 119
Collision-induced dissociation
Electrospray ionization/collision-induced dissociation of protonated substance P ions—effect of charge on the fragmentation patterns, 123
Collision-induced-dissociation
Oxidation of 2-propanol ligands during collision-induced dissociation of a gas-phase uranyl complex, 175
Complexes
Computational investigation of $CH_{3-n}X_n^+-NH_3$ ($n = 0-3$; X = F, Cl, and Br) interactions, 119

DFT
Formation and unimolecular dissociation of $Al^{3+}(DMSO)_n$ complexes, 47
DFT calculation
Formation of $C_6H_nSi^+$ ($n = 5–8$) from phenylsilane: an experimental and theoretical study, 1
Dissociation
Formation and unimolecular dissociation of $Al^{3+}(DMSO)_n$ complexes, 47
Dissociative recombination
Dissociative recombination of $C_3H_4^+$: preferential formation of the C_3H_3 radical, 25
Donor–acceptor
Computational investigation of $CH_{3-n}X_n^+-NH_3$ ($n = 0-3$; X = F, Cl, and Br) interactions, 119

Electrospray ionization
Oxidation of 2-propanol ligands during collision-induced dissociation of a gas-phase uranyl complex, 175
Gas-phase fragmentation of oligonucleotide ions, 197
Electrospray mass spectrometry
Electrospray ionization/collision-induced dissociation of protonated substance P ions—effect of charge on the fragmentation patterns 123
Enantioselective addition
Gas phase enantiomeric distinction of (*R*)- and (*S*)-aromatic hydroxy esters by negative ion chemical ionization mass spectrometry using a chiral reagent gas, 185
Error
Errors in the solutions of a set of equations representing an experimental system: a case study for the simultaneous determination of $^{13}C/^{12}C$, $^{17}O/^{16}O$ and $^{18}O/^{16}O$ abundance ratios as CO_2^+, 135
Error propagation
Errors in the solutions of a set of equations representing an experimental system: a case study for the simultaneous determination of $^{13}C/^{12}C$, $^{17}O/^{16}O$ and $^{18}O/^{16}O$ abundance ratios as CO_2^+, 135

Fragmentations
Mass spectrometric studies of azides: reactions of Ar^+ with 3-azidopropionitrile, 2-azidopropionitrile, and azidoacetonitrile in a Fourier transform ion cyclotron resonance mass spectrometer, 65
FT-ICR
Structurally related non-covalent complexes examined by quadrupole ion trap (QIT) MS^2 and infrared multiphoton dissociation Fourier transform ion cyclotron resonance mass spectrometry IRMPD-FT-ICR MS: evidence for salt-bridge structures in the gas phase, 33
Mass spectrometric studies of azides: reactions of Ar^+ with 3-azidopropionitrile, 2-azidopropionitrile, and azidoacetonitrile in a Fourier transform ion cyclotron resonance mass spectrometer, 65

Gas phase chemistry
Helium chemistry: a survey of the role of the ionic species, 243
Gas-phase fragmentation
Gas-phase fragmentation of oligonucleotide ions, 197
Gas-phase reactions
C–H- and N–H-activation by gaseous Rh_2^+ and $PtRh^+$ cluster ions, 19
Gas-phase zwitterions
Structurally related non-covalent complexes examined by quadrupole ion trap (QIT) MS^2 and infrared multiphoton dissociation Fourier transform ion cyclotron resonance mass spectrometry IRMPD-FT-ICR MS: evidence for salt-bridge structures in the gas phase, 33
G2MP2
Computational investigation of $CH_{3-n}X_n^+-NH_3$ ($n = 0-3$; X = F, Cl, and Br) interactions, 119

Helium anions
Helium chemistry: a survey of the role of the ionic species, 243
Helium cations
Helium chemistry: a survey of the role of the ionic species, 243
Helium chemistry
Helium chemistry: a survey of the role of the ionic species, 243

doi:10.1016/S1387-3806(04)00365-3

Heterocyclics
A selected ion flow tube, SIFT, study of the reactions of H_3O^+, NO^+ and $O_2^{\bullet+}$ ions with several N- and O-containing heterocyclic compounds in support of SIFT-MS, 167

Ion chemistry
Dissociative recombination of $C_3H_4^+$: preferential formation of the C_3H_3 radical, 25
Ion–molecule reaction
Didehydro radical anions from ketones via $O^{\bullet-}$ chemical ionization, 149
Ion–molecule reactions
Mass spectrometric studies of azides: reactions of Ar^+ with 3-azidopropionitrile, 2-azidopropionitrile, and azidoacetonitrile in a Fourier transform ion cyclotron resonance mass spectrometer, 65
On the spin-forbiddeness of gas-phase ion–molecule reactions: a fruitful intersection of experimental and computational studies, 75
IRMPD
Structurally related non-covalent complexes examined by quadrupole ion trap (QIT) MS^2 and infrared multiphoton dissociation Fourier transform ion cyclotron resonance mass spectrometry IRMPD-FT-ICR MS: evidence for salt-bridge structures in the gas phase, 33
Isotope
Toward epsilon levels of measurement precision on $^{234}U/^{238}U$ by using MC-ICPMS, 107
Isotopic analysis
Errors in the solutions of a set of equations representing an experimental system: a case study for the simultaneous determination of $^{13}C/^{12}C$, $^{17}O/^{16}O$ and $^{18}O/^{16}O$ abundance ratios as CO_2^+, 135

Ketone
Didehydro radical anions from ketones via $O^{\bullet-}$ chemical ionization, 149

Laser ablation inductively coupled plasma mass spectrometry
Determination of Ag, Tl, and Pb in few milligrams of platinum nanoclusters by on-line isotope dilution in laser ablation inductively coupled plasma mass spectrometry, 13
Ligated metal trications
Formation and unimolecular dissociation of $Al^{3+}(DMSO)_n$ complexes, 47

Mass spectrometry
Mass spectrometric studies of azides: reactions of Ar^+ with 3-azidopropionitrile, 2-azidopropionitrile, and azidoacetonitrile in a Fourier transform ion cyclotron resonance mass spectrometer, 65
On the spin-forbiddeness of gas-phase ion–molecule reactions: a fruitful intersection of experimental and computational studies, 75
Matrix-assisted laser desorption/ionization
Gas-phase fragmentation of oligonucleotide ions, 197
MC-ICPMS
Toward epsilon levels of measurement precision on $^{234}U/^{238}U$ by using MC-ICPMS, 107
Metal clusters
C–H- and N–H-activation by gaseous Rh_2^+ and $PtRh^+$ cluster ions, 19
Metastable ion decomposition
Formation of $C_6H_nSi^+$ (n = 5–8) from phenylsilane: an experimental and theoretical study, 1
Molecular astrophysics
Dissociative recombination of $C_3H_4^+$: preferential formation of the C_3H_3 radical, 25
Molecular orbital symmetry
On the spin-forbiddeness of gas-phase ion–molecule reactions: a fruitful intersection of experimental and computational studies, 75

Negative ion chemical ionization
Gas phase enantiomeric distinction of (*R*)- and (*S*)-aromatic hydroxy esters by negative ion chemical ionization mass spectrometry using a chiral reagent gas, 185
Neuropeptide
Electrospray ionization/collision-induced dissociation of protonated substance P ions—effect of charge on the fragmentation patterns, 123
Non-additive sputtering
Temperature dependence of secondary ion emission from tantalum produced by atomic and polyatomic gold projectiles, 55

$O^{\bullet-}$
Didehydro radical anions from ketones via $O^{\bullet-}$ chemical ionization, 149
Oligonucleotide
Gas-phase fragmentation of oligonucleotide ions, 197
On-line isotope dilution technique
Determination of Ag, Tl, and Pb in few milligrams of platinum nanoclusters by on-line isotope dilution in laser ablation inductively coupled plasma mass spectrometry, 13
Oxidation chemistry
On the spin-forbiddeness of gas-phase ion–molecule reactions: a fruitful intersection of experimental and computational studies, 75
Oxygen
Errors in the solutions of a set of equations representing an experimental system: a case study for the simultaneous determination of $^{13}C/^{12}C$, $^{17}O/^{16}O$ and $^{18}O/^{16}O$ abundance ratios as CO_2^+, 135

Phenylsilane ion
Formation of $C_6H_nSi^+$ (n = 5–8) from phenylsilane: an experimental and theoretical study, 1
Platinum
C–H- and N–H-activation by gaseous Rh_2^+ and $PtRh^+$ cluster ions, 19
Platinum nanoclusters
Determination of Ag, Tl, and Pb in few milligrams of platinum nanoclusters by on-line isotope dilution in laser ablation inductively coupled plasma mass spectrometry, 13
Potential energy surfaces
On the spin-forbiddeness of gas-phase ion–molecule reactions: a fruitful intersection of experimental and computational studies, 75
2-Propanol oxidation
Oxidation of 2-propanol ligands during collision-induced dissociation of a gas-phase uranyl complex, 175

Radical anion
Didehydro radical anions from ketones via $O^{\bullet-}$ chemical ionization, 149
Rhodium
C–H- and N–H-activation by gaseous Rh_2^+ and $PtRh^+$ cluster ions, 19
RRKM calculation
Formation of $C_6H_nSi^+$ (n = 5–8) from phenylsilane: an experimental and theoretical study, 1

Secondary atomic and cluster ion emission
Temperature dependence of secondary ion emission from tantalum produced by atomic and polyatomic gold projectiles, 55
SIFT
A selected ion flow tube, SIFT, study of the reactions of H_3O^+, NO^+ and $O_2^{\bullet+}$ ions with several N- and O-containing heterocyclic compounds in support of SIFT-MS, 167
SIFT-MS
A selected ion flow tube, SIFT, study of the reactions of H_3O^+, NO^+ and $O_2^{\bullet+}$ ions with several N- and O-containing heterocyclic compounds in support of SIFT-MS, 167
Solution-based calibration
Determination of Ag, Tl, and Pb in few milligrams of platinum nanoclusters by on-line isotope dilution in laser ablation inductively coupled plasma mass spectrometry, 13
Spin–orbit coupling
On the spin-forbiddeness of gas-phase ion–molecule reactions: a fruitful intersection of experimental and computational studies, 75

Stability
Formation and unimolecular dissociation of $Al^{3+}(DMSO)_n$ complexes, 47
Computational investigation of $CH_{3-n}X_n^+-NH_3$ ($n = 0-3$; X = F, Cl, and Br) interactions, 119
Substance P
Electrospray ionization/collision-induced dissociation of protonated substance P ions—effect of charge on the fragmentation patterns 123

Tandem mass spectrometry
Oxidation of 2-propanol ligands during collision-induced dissociation of a gas-phase uranyl complex, 175
Temperature dependence
Temperature dependence of secondary ion emission from tantalum produced by atomic and polyatomic gold projectiles, 55
Trace analysis
Determination of Ag, Tl, and Pb in few milligrams of platinum nanoclusters by on-line isotope dilution in laser ablation inductively coupled plasma mass spectrometry, 13
Transition-metal chemistry
On the spin-forbiddeness of gas-phase ion–molecule reactions: a fruitful intersection of experimental and computational studies, 75

Uranium
Toward epsilon levels of measurement precision on $^{234}U/^{238}U$ by using MC-ICPMS, 107
Uranyl-ligand cations
Oxidation of 2-propanol ligands during collision-induced dissociation of a gas-phase uranyl complex, 175
U-series
Toward epsilon levels of measurement precision on $^{234}U/^{238}U$ by using MC-ICPMS, 107